

**Product Shipping Weight (lbs.)** 5.1000

### **PRODUCT SPECIFICATIONS**

**Speaker Type** Woofer  
**Nominal Diameter** 7"  
**Power Handling (RMS)** 60 watts  
**Power Handling (max)** 120 watts  
**Impedance** 4 ohms  
**Sensitivity** 88 dB @ 1W/1m  
**Frequency Response** 40 - 2,200 Hz  
**Voice Coil Diameter** 38 mm

### **THIELE-SMALL PARAMETERS**

**DC Resistance (Re)** 2.9 ohms  
**Voice Coil Inductance (Le)** 0.51 mH  
**Resonant Frequency (Fs)** 40.4 Hz  
**Mechanical Q (Qms)** 2.66  
**Electromagnetic Q (Qes)** 0.62  
**Total Q (Qts)** 0.50  
**Diaphragm Mass Inc. Airload (Mms)** 14.32 g  
**Mechanical Compliance of Suspension (Cms)** 1.09 mm/N  
**Surface Area Of Cone (Sd)** 126.7 cm<sup>2</sup>  
**Volume of Displacement (Vd)** 76.0 cm<sup>3</sup>  
**BL Product (BL)** 4.26 Tm  
**Compliance Equivalent Volume (Vas)** 24.5 liters  
**Maximum Linear Excursion (Xmax)** 6.0 mm

### **MATERIALS OF CONSTRUCTION**

**Cone / Diaphragm Material** Black Anodized Aluminum Cone  
**Surround Material** Rubber  
**Voice Coil Material** Copper  
**Voice Coil Former** Aluminum  
**Dual Voice Coil** No  
**Basket/Frame Material** Cast Aluminum  
**Magnet Material** Ferrite  
**Shielded** No

### **MOUNTING INFORMATION**

**Overall Outside Diameter** 180.5 mm  
**Overall Depth** 87 mm  
**Baffle Cutout Diameter** 146 mm  
**# Mounting Holes** 6